

SHP & SHPW


TECHNICAL DATA:

Aluminum

- Extrusion – CS uses multiple alloys & tempers which are established to be the most appropriate for the given use of individual parts. Will be one of the following: (6063-T5, T6, T52) (6061-T5, T6, T51) (6105-T5, T6) (6005-T5) (6005A-T5, T61), ASTM B221
- Sheet – 6061-T6, 3003 H14, 5005 H34, ASTM-B209.

Vapor Barrier


- Material: 7-Ply Polyethylene, ASTM-E-1745-11
- Color: Black
- 3" Tensile Strength: 275 lbs., ASTM-D-882
- Puncture Strength: 79 lbs., ASTM-D-4833
- PPT Resistance: 62 lbs., ASTM-D-2582



Capable of Lateral Movement

SHP & SHPW


MODEL	JOINT WIDTH	MINIMUM OPENING	MAXIMUM OPENING	EXPOSED SURFACE	BLOCKOUT WIDTH	BLOCKOUT HEIGHT
SHP-800	8.00" (203mm)	2.50" (64mm)	12.00" (305mm)	19.69" (500mm)	N/A	N/A
SHP-900	9.00" (229mm)	2.50" (64mm)	13.50" (343mm)	21.19" (538mm)	N/A	N/A
SHP-1000	10.00" (254mm)	2.50" (64mm)	15.00" (381mm)	22.69" (576mm)	N/A	N/A
SHP-1100	11.00" (279mm)	2.50" (64mm)	16.50" (419mm)	24.19" (614mm)	N/A	N/A
SHP-1200	12.00" (305mm)	2.50" (64mm)	18.00" (457mm)	25.69" (653mm)	N/A	N/A
SHP-1300	13.00" (330mm)	2.50" (64mm)	19.50" (495mm)	27.19" (691mm)	N/A	N/A
SHP-1400	14.00" (356mm)	2.50" (64mm)	21.00" (533mm)	28.69" (729mm)	N/A	N/A
SHP-1500	15.00" (381mm)	2.50" (64mm)	22.50" (572mm)	30.19" (767mm)	N/A	N/A
SHP-1600	16.00" (406mm)	2.50" (64mm)	24.00" (610mm)	31.69" (805mm)	N/A	N/A
SHP-1700	17.00" (432mm)	2.50" (64mm)	25.50" (648mm)	33.19" (843mm)	N/A	N/A
SHP-1800	18.00" (457mm)	2.50" (64mm)	27.00" (686mm)	34.69" (881mm)	N/A	N/A
SHP-1900	19.00" (483mm)	2.50" (64mm)	28.50" (724mm)	36.19" (919mm)	N/A	N/A
SHP-2000	20.00" (508mm)	2.50" (64mm)	30.00" (762mm)	37.69" (957mm)	N/A	N/A
SHP-2100	21.00" (533mm)	2.50" (64mm)	31.50" (800mm)	39.19" (995mm)	N/A	N/A
SHP-2200	22.00" (559mm)	2.50" (64mm)	33.00" (838mm)	40.69" (1,034mm)	N/A	N/A
SHP-2300	23.00" (584mm)	2.50" (64mm)	34.50" (876mm)	42.19" (1,072mm)	N/A	N/A
SHP-2400	24.00" (610mm)	2.50" (64mm)	36.00" (914mm)	43.69" (1,110mm)	N/A	N/A



SHP - 100%

SHP & SHPW


MODEL	JOINT WIDTH	MINIMUM OPENING	MAXIMUM OPENING	EXPOSED SURFACE	BLOCKOUT WIDTH	BLOCKOUT HEIGHT
SHPW-800	8.00" (203mm)	2.50" (64mm)	12.00" (305mm)	13.00" (330mm)	N/A	N/A
SHPW-900	9.00" (229mm)	2.50" (64mm)	13.50" (343mm)	14.50" (368mm)	N/A	N/A
SHPW-1000	10.00" (254mm)	2.50" (64mm)	15.00" (381mm)	16.00" (406mm)	N/A	N/A
SHPW-1100	11.00" (279mm)	2.50" (64mm)	16.50" (419mm)	17.50" (445mm)	N/A	N/A
SHPW-1200	12.00" (305mm)	2.50" (64mm)	18.00" (457mm)	19.00" (483mm)	N/A	N/A
SHPW-1300	13.00" (330mm)	2.50" (64mm)	19.50" (495mm)	20.50" (521mm)	N/A	N/A
SHPW-1400	14.00" (356mm)	2.50" (64mm)	21.00" (533mm)	22.00" (559mm)	N/A	N/A
SHPW-1500	15.00" (381mm)	2.50" (64mm)	22.50" (572mm)	23.50" (597mm)	N/A	N/A
SHPW-1600	16.00" (406mm)	2.50" (64mm)	24.00" (610mm)	25.00" (635mm)	N/A	N/A
SHPW-1700	17.00" (432mm)	2.50" (64mm)	25.50" (648mm)	26.50" (673mm)	N/A	N/A
SHPW-1800	18.00" (457mm)	2.50" (64mm)	27.00" (686mm)	28.00" (711mm)	N/A	N/A
SHPW-1900	19.00" (483mm)	2.50" (64mm)	28.50" (724mm)	29.50" (749mm)	N/A	N/A
SHPW-2000	20.00" (508mm)	2.50" (64mm)	30.00" (762mm)	31.00" (787mm)	N/A	N/A
SHPW-2100	21.00" (533mm)	2.50" (64mm)	31.50" (800mm)	32.50" (826mm)	N/A	N/A
SHPW-2200	22.00" (559mm)	2.50" (64mm)	33.00" (838mm)	34.00" (864mm)	N/A	N/A
SHPW-2300	23.00" (584mm)	2.50" (64mm)	34.50" (876mm)	35.50" (902mm)	N/A	N/A
SHPW-2400	24.00" (610mm)	2.50" (64mm)	36.00" (914mm)	37.00" (940mm)	N/A	N/A



SHPW - 100%

SHP & SHPW


MODEL	JOINT WIDTH	MINIMUM OPENING	MAXIMUM OPENING	EXPOSED SURFACE	BLOCKOUT WIDTH	BLOCKOUT HEIGHT
SHP-816	8.00" (203mm)	2.50" (64mm)	16.00" (406mm)	23.69" (602mm)	N/A	N/A
SHP-918	9.00" (229mm)	2.50" (64mm)	18.00" (457mm)	25.69" (653mm)	N/A	N/A
SHP-1020	10.00" (254mm)	2.50" (64mm)	20.00" (508mm)	27.69" (703mm)	N/A	N/A
SHP-1122	11.00" (279mm)	2.50" (64mm)	22.00" (559mm)	29.69" (754mm)	N/A	N/A
SHP-1224	12.00" (305mm)	2.50" (64mm)	24.00" (610mm)	31.69" (805mm)	N/A	N/A
SHP-1326	13.00" (330mm)	2.50" (64mm)	26.00" (660mm)	33.69" (856mm)	N/A	N/A
SHP-1428	14.00" (356mm)	2.50" (64mm)	28.00" (711mm)	35.69" (907mm)	N/A	N/A
SHP-1530	15.00" (381mm)	2.50" (64mm)	30.00" (762mm)	37.69" (957mm)	N/A	N/A
SHP-1632	16.00" (406mm)	2.50" (64mm)	32.00" (813mm)	39.69" (1,008mm)	N/A	N/A
SHP-1734	17.00" (432mm)	2.50" (64mm)	34.00" (864mm)	41.69" (1,059mm)	N/A	N/A
SHP-1836	18.00" (457mm)	2.50" (64mm)	36.00" (914mm)	43.69" (1,110mm)	N/A	N/A
SHP-1938	19.00" (483mm)	2.50" (64mm)	38.00" (965mm)	45.69" (1,161mm)	N/A	N/A
SHP-2040	20.00" (508mm)	2.50" (64mm)	40.00" (1,016mm)	47.69" (1,211mm)	N/A	N/A
SHP-2142	21.00" (533mm)	2.50" (64mm)	42.00" (1,067mm)	49.69" (1,262mm)	N/A	N/A
SHP-2244	22.00" (559mm)	2.50" (64mm)	44.00" (1,118mm)	51.69" (1,313mm)	N/A	N/A
SHP-2346	23.00" (584mm)	2.50" (64mm)	46.00" (1,168mm)	53.69" (1,364mm)	N/A	N/A
SHP-2448	24.00" (610mm)	2.50" (64mm)	48.00" (1,219mm)	55.69" (1,415mm)	N/A	N/A



SHP - 200%

SHP & SHPW

MODEL	JOINT WIDTH	MINIMUM OPENING	MAXIMUM OPENING	EXPOSED SURFACE	BLOCKOUT WIDTH	BLOCKOUT HEIGHT
SHPW-816	8.00" (203mm)	2.50" (64mm)	16.00" (406mm)	17.00" (432mm)	N/A	N/A
SHPW-918	9.00" (229mm)	2.50" (64mm)	18.00" (457mm)	19.00" (483mm)	N/A	N/A
SHPW-1020	10.00" (254mm)	2.50" (64mm)	20.00" (508mm)	21.00" (533mm)	N/A	N/A
SHPW-1122	11.00" (279mm)	2.50" (64mm)	22.00" (559mm)	23.00" (584mm)	N/A	N/A
SHPW-1224	12.00" (305mm)	2.50" (64mm)	24.00" (610mm)	25.00" (635mm)	N/A	N/A
SHPW-1326	13.00" (330mm)	2.50" (64mm)	26.00" (660mm)	27.00" (686mm)	N/A	N/A
SHPW-1428	14.00" (356mm)	2.50" (64mm)	28.00" (711mm)	29.00" (737mm)	N/A	N/A
SHPW-1530	15.00" (381mm)	2.50" (64mm)	30.00" (762mm)	31.00" (787mm)	N/A	N/A
SHPW-1632	16.00" (406mm)	2.50" (64mm)	32.00" (813mm)	33.00" (838mm)	N/A	N/A
SHPW-1734	17.00" (432mm)	2.50" (64mm)	34.00" (864mm)	35.00" (889mm)	N/A	N/A
SHPW-1836	18.00" (457mm)	2.50" (64mm)	36.00" (914mm)	37.00" (940mm)	N/A	N/A
SHPW-1938	19.00" (483mm)	2.50" (64mm)	38.00" (965mm)	39.00" (991mm)	N/A	N/A
SHPW-2040	20.00" (508mm)	2.50" (64mm)	40.00" (1,016mm)	41.00" (1,041mm)	N/A	N/A
SHPW-2142	21.00" (533mm)	2.50" (64mm)	42.00" (1,067mm)	43.00" (1,092mm)	N/A	N/A
SHPW-2244	22.00" (559mm)	2.50" (64mm)	44.00" (1,118mm)	45.00" (1,143mm)	N/A	N/A
SHPW-2346	23.00" (584mm)	2.50" (64mm)	46.00" (1,168mm)	47.00" (1,194mm)	N/A	N/A
SHPW-2448	24.00" (610mm)	2.50" (64mm)	48.00" (1,219mm)	49.00" (1,245mm)	N/A	N/A



SHPW -200%