

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/04/2026

Revised on 08/04/2026

1 Identification

- **Product Identifier**
- **Trade Name: STYX®**
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description:**
STYX® are aluminum architectural extrusions installed on walls or ceiling
Extruded Aluminum 6063 – thickness 0.060" (typ.)
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Construction Specialties
3 Lerner Way
Lebanon, NJ 08833
P: 800-233-8493
3 Lerner Way, Lebanon, NJ 08833
<https://www.c-sgroup.com/>
- **Emergency telephone number:** 800-233-8493

2 Hazard(s) Identification

- **Classification of the substance or mixture:**
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.
- **Information pertaining to particular dangers for man and environment:**
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	0	Fire = 0
REACTIVITY	0	Physical Hazard = 0

- **Hazard(s) not otherwise classified (HNOC):** None known
- **Classification according to (d)(1)(ii) of § 1910.1200**
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.
- **Hazards not otherwise classified**
There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

(Contd. on page 2)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/04/2026

Revised on 08/04/2026

Trade Name: STYX®

3 Composition/Information on Ingredients

· **Non-hazardous components:**

Non-Hazardous components or components below reportable threshold.

<20%

· **Chemical characterization: Substance**

· **Description:**

Mixture of substances listed with non-hazardous additions and/or components that are less than listing threshold. All non-hazardous, components listed under threshold, and listed component total 100%.

· **Dangerous Components:**

CAS: 7429-90-5

Aluminum

60-90%

RTECS: BD 0330000

⚠ Pyrophoric solids 1, H250; Substances and mixtures which, in contact with water, emit flammable gases 2, H261

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

· **Description of first aid measures**

· **General information:** If symptoms persist, call a physician.

· **After inhalation:**

Supply fresh air; consult doctor in case of complaints.

Irritation may present if product is machined and dust is created.

· **After skin contact:**

Generally, the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· **After eye contact:**

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

· **After swallowing:** If swallowed and symptoms occur, consult a doctor.

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

5 Fire-Fighting Measures

· **Extinguishing media**

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **For safety reasons unsuitable extinguishing agents:** Water

· **Special hazards arising from the substance or mixture:** No further relevant information available.

· **Advice for firefighters**

· **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

In case of machining, wear dust mask.

· **Environmental precautions:** No special measures required.

· **Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

(Contd. on page 3)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/04/2026

Revised on 08/04/2026

Trade Name: STYX®

Do not flush with water or aqueous cleansing agents
Dispose of the collected material according to regulations.

· **PAC-1:**

None of the ingredients are listed.

· **PAC-2:**

None of the ingredients are listed.

· **PAC-3:**

None of the ingredients are listed.

· **Reference to other sections:**

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

· **Precautions for safe handling:**

No special precautions are necessary if used correctly.
In case of machining, wear a dust mask.

· **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.

· **Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:** Store in the original container.

· **Information about storage in one common storage facility:** Not required

· **Further information about storage conditions:**

Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.

· **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

· **Control parameters:**

· **Components with occupational exposure limits:**

7429-90-5 Aluminum

PEL	Short-term value: 5** mg/m ³ Long-term value: 15* mg/m ³ *Total dust; ** Respirable fraction
REL	Short-term value: 5** mg/m ³ Long-term value: 10* mg/m ³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV	Long-term value: 1* mg/m ³ as Al; *as respirable fraction, A4

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls:**

· **Appropriate engineering controls** No further data; see section 7.

· **Personal protective equipment**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not required

· **Protection of hands:** Not required

(Contd. on page 4)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/04/2026

Revised on 08/04/2026

Trade Name: STYX®

- **Material of gloves:** Not applicable.
- **Penetration time of glove material:** Not applicable.
- **Eye protection:** Not required
- **Limitation and supervision of exposure into the environment:** None

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

- | | |
|---|---|
| · Physical state | Solid |
| · Color: | Varies |
| · Odor: | Odorless |
| · Odor threshold: | Not determined |
| · Melting point/Melting range: | Not determined. |
| · Boiling point/Boiling range: | Not determined. |
| · Flammability: | Contact with water liberates extremely flammable gases. |
| · Explosion limits: | |
| · Lower: | Not determined |
| · Upper: | Not determined |
| · Flash point: | None |
| · Auto igniting: | ≥400 °C (≥752 °F) |
| · Decomposition temperature: | Not determined |
| · pH-value: | Not determined. |
| · Viscosity: | |
| · Kinematic: | Not applicable |
| · Dynamic: | Not applicable |
| · Solubility in / Miscibility with: | |
| · Water: | Soluble. |
| · Partition coefficient (n-octanol/water): | Not determined |
| · Vapor pressure: | Not applicable |
| · Vapor pressure: | |
| · Density: | Not determined |
| · Relative density: | Not determined |
| · Vapor density: | Not applicable |
| · Particle characteristics | Not determined |

· Other information:

· Appearance:

- | | |
|----------------|-------|
| · Form: | Solid |
|----------------|-------|

· Important information on protection of health and environment, and on safety.

- | | |
|--------------------------------|---|
| · Ignition temperature: | Spontaneously flammable in air. |
| · Danger of explosion: | Product does not present an explosion hazard. |
| · Solvent content: | |
| · VOC content: | 0.00 % |
| · Solids content: | 100.0 % |
| · Change in condition | |
| · Evaporation rate: | Not applicable. |

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.

(Contd. on page 5)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/04/2026

Revised on 08/04/2026

Trade Name: STYX®

- **Chemical stability:** Product is stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** Contact with water releases flammable gases.
- **Conditions to avoid:** Extreme heat
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

7429-90-5 Aluminum

Oral	LD50	>2,000 mg/kg (Rat)
Inhalative	LC50/4 h	888 mg/l (Rat)

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** No irritating effect.
- **Additional toxicological information:**
- **Interactive effects** No interactive effects between components are known.

- **Carcinogenic categories:**

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Alternative sources for toxicological information**

No non-standard sources for toxicological information where used.

12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **Other adverse effects:**
- **Additional ecological information:**
- **General notes:** Generally not hazardous for water.

13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**
Observe all federal, state and local environmental regulations when disposing of this material.

(Contd. on page 6)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/04/2026

Revised on 08/04/2026

Trade Name: STYX®

- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

- **UN-Number:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, IMDG, IATA** Non-Regulated Material
- **ADR/ADN** UN-
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable
- **Special precautions for user:** Not applicable
- **UN "Model Regulation":** Non-Regulated Material

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

All ingredients are listed.

· **TSCA (Toxic Substances Control Act):**

All components have the value ACTIVE.

· **Hazardous Air Pollutants**

None of the ingredients are listed.

· **California Proposition 65:**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **New Jersey Right-to-Know List:**

All ingredients are listed.

(Contd. on page 7)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/04/2026

Revised on 08/04/2026

Trade Name: STYX®

· New Jersey Special Hazardous Substance List:
All components have the value F3, R1.
· Pennsylvania Right-to-Know List:
All ingredients are listed.
· Pennsylvania Special Hazardous Substance List:
All components have the value E.
· Carcinogenic categories:
· EPA (Environmental Protection Agency):
None of the ingredients are listed.
· TLV (Threshold Limit Value established by ACGIH):
All components have the value A4.
· NIOSH-Ca (National Institute for Occupational Safety and Health):
None of the ingredients are listed.
· GHS label elements Non-Regulated Material
· Hazard pictograms: Non-Regulated Material
· Signal word: Non-Regulated Material
· Hazard statements: Non-Regulated Material
· National regulations:
The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of preparation** 08/04/2026

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety and Health
 OSHA: Occupational Safety & Health Administration
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 Pyrophoric solids 1: Pyrophoric solids – Category 1

(Contd. on page 8)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 08/04/2026

Revised on 08/04/2026

Trade Name: STYX®

Substances and mixtures which, in contact with water, emit flammable gases 2: Substances and mixtures which in contact with water emit flammable gases – Category 2

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106