


Entrance Flooring *Solutions*



Compare Entrance Flooring Systems





PRODUCT FAMILIES	MAT SYSTEMS		
Product Name	Pedimat® M1	Pedimat® AA M2	DesignStep®
Depth w/o Frame	7/16"	7/16"	3/8"
Mounting Option	Surface/Recess	Surface/Recess	Surface/Recess
Cradle 2 Cradle	No	No	No
Warranty	2 years	2 years	2 years
Material Composition	Aluminum	Aluminum	Polypropelene
SCOF Dry/Wet	0.7	0.7	0.79
Rolling Load	350 lbs	350 lbs	NA
Dirt Storage Capacity	Good	Good	None
Rollback Capability	Yes	Yes	Yes
Indoor/Outdoor	Indoor	Both	Indoor
Configuration	Panels	Panels	Roll/tiles/mats
Logo Availability	Yes	Yes	Yes
Cost Index	\$\$	\$\$	\$

*For deep pit frame applications, rolling load is 300 lb./wheel.



GRID SYSTEMS				
Pedigrid® G1	Pedigrid® SA G8	Peditred® G4	Peditred® SA G7	Peditred® LP G3
1 1/16"	1 1/16"	3/4"	3/4"	1/2"
Recess	Recess	Recess	Recess	Surface/Recess
No	No	No	No	No
2 years	2 years	2 years	2 years	2 years
Aluminum	Aluminum	Aluminum	Aluminum	Aluminum
0.7	0.7	0.7	0.7	0.7
400 lbs*	400 lbs*	1000 lbs	1000 lbs	750 lbs
Best	Best	Better	Better	Better
No	No	Yes	Yes	Yes
Both	Both	Both	Both	Both
Panels	Panels	Panels	Panels	Panels
Yes	No	Yes	No	Yes
\$\$\$	\$\$\$	\$\$\$	\$\$\$	\$\$\$

Compare Entrance Flooring Systems *(cont'd)*



PRODUCT FAMILIES	STAINLESS STEEL GRIDS + ACCENTS			
Product Name	GridLine® G6	GridLine® 2 G62	GridLine® w/ Inserts	GridLine® 2 G6PR
Depth w/o Frame	3/8", 5/8", 1 1/8"	5/8", 1 1/8"	5/8", 1 1/8" Model Specific	5/8", 3/4", 1 1/8"
Mounting Option	Recess	Recess	Recess	Recess
Cradle 2 Cradle	Yes	Yes	No	Yes
Warranty	5 years	5 years	5 years	5 years
Material Composition	Stainless	Stainless	Stainless	Stainless
SCOF Dry/Wet	0.7	0.7	0.6	0.7
Rolling Load	1000 lbs*	1000 lbs*	500 lbs*	500 lbs*
Dirt Storage Capacity	Best	Best	Best	Best
Rollback Capability	No	No	No	No
Indoor/Outdoor	Both	Both	Both	Both
Configuration	Panels	Panels	Panels	Panels
Logo Availability	No	No	No	No
Cost Index	\$\$\$\$	\$\$\$\$	\$\$\$\$	\$\$\$\$

SPECIALTY FLOORING	MODULAR TILE SYSTEMS
Floormations®	Helix
1/4", 1/2", 3/4"	7/16"
Surface/Recess	Surface/Recess
No	No
2 years	2 years
Aluminum	PVC
0.6 / 1.1	0.81
300 lbs	Z1-1000 / Z2-600
Better	Good
No	Yes
Indoor	Both
Panels	Tiles
Yes	No
\$\$\$\$	\$\$

*For deep pit frame applications, rolling load is 300 lb./wheel.



Construction Specialties®

c-sgroup.com | 800.233.8493