



Entrance Flooring *Solutions*




Compare Entrance Flooring Systems



PRODUCT	MAT SYSTEMS		
Model Name	PediTred® G4	PediTred® SA G7	PediTred® LP G3
Depth w/o Frame	¾"	¾"	½"
Mounting Option	Recess	Recess	Surface/Recess
Cradle 2 Cradle	No	No	No
Warranty	2 years	2 years	2 years
Material Composition	Aluminum	Aluminum	Aluminum
SCOF Dry/Wet	0.7	0.7	0.7
Rolling Load	1000 lbs	1000 lbs	750 lbs
Dirt Storage Capacity	Better	Better	Better
Rollback Capability	Yes	Yes	Yes
Indoor/Outdoor	Both	Both	Both
Configuration	Panels	Panels	Panels
Logo Availability	Yes	No	Yes
Cost Index	\$\$\$	\$\$\$	\$\$\$

MAT SYSTEMS			
Pedimat® M1	Pedimat® AA M2	Helix	DesignStep®
7/16"	7/16"	7/16"	3/8"
Surface/Recess	Surface/Recess	Surface/Recess	Surface/Recess
No	No	No	No
2 years	2 years	2 years	2 years
Aluminum	Aluminum	PVC	Polypropelene
0.7	0.7	0.81	NA
350 lbs	350 lbs	Z1-1000 / Z2-600	NA
Good	Good	Good	None
Yes	Yes	Yes	Yes
Indoor	Both	Both	Indoor
Panels	Panels	Tiles	Roll/tiles/mats
Yes	Yes	No	Yes
\$\$	\$\$	\$\$	\$

Compare Entrance Flooring Systems *(cont'd)*



PRODUCT	GRID SYSTEMS			
Model Name	GridLine® G6	GridLine® 2 G62	GridLine® w/ Inserts	GridLine® 2 G6PR
Depth w/o Frame	3/8", 5/8", 1 1/8"	5/8", 1 1/8"	5/8", 1 1/8" Model Specific	5/8", 3/4", 1 1/8"
Mounting Option	Recess	Recess	Recess	Recess
Cradle 2 Cradle	Yes	Yes	No	Yes
Warranty	5 years	5 years	5 years	5 years
Material Composition	Stainless	Stainless	Stainless	Stainless
SCOF Dry/Wet	0.7	0.7	0.6	0.7
Rolling Load	1000 lbs*	1000 lbs*	500 lbs*	500 lbs*
Dirt Storage Capacity	Best	Best	Best	Best
Rollback Capability	No	No	No	No
Indoor/Outdoor	Both	Both	Both	Both
Configuration	Panels	Panels	Panels	Panels
Logo Availability	No	No	No	No
Cost Index	\$\$\$\$	\$\$\$\$	\$\$\$\$	\$\$\$\$

GRID SYSTEMS		SPECIALTY FLOORING
Pedigrid® G1	Pedigrid® SA G8	Floormatations®
1 1/16"	1 1/16"	1/4", 1/2", 3/4"
Recess	Recess	Surface/Recess
No	No	No
2 years	2 years	2 years
Aluminum	Aluminum	Aluminum
0.7	0.7	0.6 / 1.1
400 lbs*	400 lbs*	300 lbs
Best	Best	Better
No	No	No
Both	Both	Indoor
Panels	Panels	Panels
Yes	No	Yes
\$\$\$	\$\$\$	\$\$\$\$

*For deep pit frame applications, rolling load is 300 lb./wheel.



Construction Specialties®

c-sgroup.com | 800.233.8493