
Expansion Joint Solutions







Compare Interior Cover Solutions







FLOOR JOINT SYSTEMS

| Joint Size | 1" - 2" | 2" - 4" | 1" - 4" |
|--------------------------------------|-------------------|----------------|-------------------|
| Cover Material | Gasket | Dual Gasket | Metal |
| Total Movement (% of joint width) | 50% | 100% | 100% |
| Models | 4 | 4 | 4 |
| Blockout Required | Model Specific | Yes | No |
| Installation | Flush and Surface | Flush | Surface |
| Hygienic | • | • | |
| Tamper Resistant | | | |
| Low Maintenance | | | |
| Loading | Standard | Standard/Heavy | Standard/Heavy |
| Fire Barriers | Monoflex® | Monoflex® | Monoflex® |
| Interior/Exterior Application | Interior | Interior | Interior/Exterior |
| Cost Index | \$ | \$\$\$ | \$\$ |









FLOOR JOINT SYSTEMS

| 1" - 4" | 5" - 16" | 4" and up | 2" and up |
|-------------------|-------------------------|-------------------|-------------------|
| Metal | Gasket, Metal or Infill | Metal or Infill | Infill |
| 100-200% | 100-200% 100% | | 100-200% |
| 8 | 8 2 | | 1 |
| Model Specific | Yes | Model Specific | Yes |
| Flush and Surface | Flush | Flush and Surface | Flush |
| | • | | |
| • | | | |
| • | | | |
| Standard/Heavy | Standard | Standard/Heavy | Standard/Heavy |
| Monoflex® | FB-17 | Contact Factory | FB-97 |
| Interior/Exterior | Interior | Interior/Exterior | Interior/Exterior |
| \$ - \$\$\$ | \$\$\$ | \$\$ - \$\$\$ | \$\$\$ - \$\$\$\$ |

Compare Interior Cover Solutions (cont'd)



WALL & CEILING JOINT SYSTEMS

| Joint Size | 1" - 10" | 2" and up | |
|--------------------------------------|-----------------------|-----------------------|--|
| Cover Material | Gasket | Dual Gasket | |
| Total Movement (% of joint width) | 50-200% | 100-200% | |
| Wall Models | 3 | 3 | |
| Ceiling Models | 3 | 1 | |
| Minimum Exposed Surface | • | • | |
| Hygienic | • | • | |
| Tamper Resistant | | | |
| Low Maintenance | | | |
| Surrounding Finishes | Drywall, Ceramic Tile | Drywall, Ceramic Tile | |
| Fire Barriers | Monoflex® | Monoflex®/FB-97 | |
| Cost Index (\$ - \$\$\$\$) | \$ | \$\$ - \$\$\$\$ | |



WALL & CEILING JOINT SYSTEMS

| 1" - 4" | 4" - 16" |
|---------------|--------------|
| Metal | Metal |
| 100-200% | 100% |
| 2 | 1 |
| | 1 |
| | |
| | |
| • | • |
| • | • |
| All Finishes | All Finishes |
| Monoflex® | FB-17/FB-97 |
| \$\$ - \$\$\$ | \$\$ |

Compare Exterior Cover Solutions (cont'd)










FACADE & SOFFIT JOINT SYSTEMS

| Joint Size | 2" - 24" | 1" - 8" | 1" - 16" | 8" - 34" |
|---|-------------------------|--------------|------------------|-----------------|
| Cover Material | Gasket | Foam | Metal | Metal or Infill |
| Total Movement (% of joint width) | 100-200% | 100% | 100-200% | 200% |
| Models | 2 | 1 | 3 | 4 |
| Surrounding Finishes | All Finishes | All Finishes | All Finishes | All Finishes |
| Fire Barriers | Monoflex®, FB-17, FB-97 | VFR | Monoflex®, FB-17 | FB-17, FB-97 |
| Cost Index (\$ - \$\$\$\$) | \$-\$\$ | \$\$\$ | \$\$ - \$\$\$ | \$\$\$\$\$ |











ROOF JOINT SYSTEMS

| ROOF JOINT SYSTEMS | | | FLOOR & TRAFFIC GRADE JOINT SYSTEMS | |
|-------------------------|-------------------|-------------------|-------------------------------------|-------------------|
| 1" - 16" | 1" - 2" | 3" - 36" | 1" - 16" | 4" - 24" |
| EPDM | Metal | Metal | EPDM | Metal |
| 100% | 100% | 100-200% | 50-200% | 100-200% |
| 1 | 1 | 3 | 5 | 6 |
| All Roof Finishes | All Roof Finishes | All Roof Finishes | Concrete, Paver | Concrete, Paver |
| Monoflex®, FB-17, FB-97 | Monoflex® | Monoflex®, FB-17 | | FB-17, FB-97 |
| \$\$ | \$\$ | \$\$ - \$\$\$\$\$ | \$\$ - \$\$\$ | \$\$\$ - \$\$\$\$ |