


## GridLine® with Inserts



Model G62C

A variation on our classic GridLine® system, GridLine with Inserts features your choice of carpet, recycled rubber or SlipNOT inserts evenly spaced between stainless steel wires. This high-end, heavy-duty grid system effectively removes dirt and debris at the entrance. It protects interior flooring and carpets by trapping incoming dirt and debris from pedestrian shoes. Perfect for areas with excessive rain or snow, designers and owners love the high-tech appearance of the satin finish, and building owners love the durability of stainless steel combined with easy maintenance.

### Advantages

- Insert options provide extra slip-resistance and scraping capabilities
- High-end, high-tech appearance
- Extremely durable
- Easy maintenance
- Coordinates with surrounding stainless steel accents

### Applications

- Interior and exterior entries
- Vestibules
- Regions that see excessive rain and/or snow

### Building Segments

- Education
- Civic & Culture
- Corporate & Commercial
- Healthcare
- Hospitality
- Mixed Use
- Retail
- Sports & Convention Centers
- Transportation

# GridLine® with Inserts

## Product Details

- Product depths:

INSERT TYPE	MODEL	5/8" (15.9mm)	1 1/8" (28.6mm)
Carpet	G6PC		●
Recycled Rubber	G62RR		●
SlipNOT	G6SN	●	●


Additional depths available, contact your local representative for more details.

- Product dimensions:

TYPE	WIDTH	STANDARD SPACING	ON-CENTER SPACING
Wire	.157" (3.9mm)	.217" (5.5mm)	.374" (9.5mm)
Inserts	1.25" (31.8mm)	2.75" (69.9mm)	4" (101.6mm)

- Alloy options:
  - Standard: Type 304, #4 Finish
  - Optional: Type 316, #4 Finish

## Connection Details




## Certifications/Testing

- Rolling Load Capacity
  - Standard 500 lb/wheel
  - Deep Pit Frame Applications 300 lb/wheel
- ASTM D-2047-96 SCOF: 0.60 Wet
- LEED EQ credit 5
- Low VOC Emissions Certificate – Intertek Clean Air Gold (CDPH 01350 v1.2)




## Lockdown Options




Welded tab

## Mounting Options

- No Frame




Level base frame w/optional drain pan




Deep pit frame w/optional drain pan  
(1 1/8" depth only)


## Insert Options



Heavy Duty/Exterior Carpet (Model G62C)



Recycled Rubber (Model G62RR)



SlipNOT (Model G62SN)

## Warranty

- Five-Year Product Warranty



Learn More →