

CONSTRUCTION SPECIALTIES, INC. CLEAN AIR CERTIFICATION REPORT

SCOPE OF WORK

Clean Air Certification of Building Products

REPORT NUMBER

105920634GRR-001

ISSUE DATE

REVISED DATE

20 September 2024

10 September 2025

PAGES

8

DOCUMENT CONTROL NUMBER

SFT-CLEAN AIR-OP-19c (29-April-2019) © 2025 INTERTEK





4700 Broadmoor Ave SE Suite 200 Kentwood, MI, 49512 USA

Telephone: +1 616 656 7401 Facsimile: +1 616 656 2022

www.intertek.com

CLEAN AIR CERTIFICATION REPORT

SECTION 1 Applicant Information

| Report Number 105920634GRR-001 | Issue Date | 20 September 2024 | Revised | 10 September 2025 |
|---------------------------------------|------------|-------------------|---------|-------------------|
|---------------------------------------|------------|-------------------|---------|-------------------|

| Applicant | Construction Specialties, Inc. | Manufacturer | Construction Specialties, Inc. |
|-----------|---|--------------|---------------------------------------|
| Address | 347 South Broad Street Hughesville, PA 17737 | Address | 193 Miller Ave Montgomery PA 17752 |
| Country | USA | Country | USA |
| Contact | Kendra Martz | Contact | Brent Hamm |
| Phone | (570) 940-1331 | Phone | (570) 546-4576 |
| FAX | None | FAX | None |
| Email | kmartz@sc-sgroup.com | Email | bhamm@c-sgroup.com |

| Manufacturer | EPS Specialties Ltd. Inc |
|--------------|-----------------------------------|
| Address | 7875 School Rd, Cincinnati, OH |
| Country | USA |
| Contact | Brent Hamm |
| Phone | (570) 546-4576 |
| FAX | None |
| Email | <u>bhamm@c-sgroup.com</u> |
| Product | Curved Doors |

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Version: 29-April-2019 Page 2 of 9 SFT-CLEAN AIR-OP-19c



SECTION 2 Product Grouping

Clean Air GOLD: Conforms to California Department of Public Health (CDPH) Standard Method v1.2: Private Office and School Classroom.

| Titrate office an | d 36/100/1 Cla33/100/11. |
|-------------------|--|
| Certificate | CA-10105-2024aX |
| Product | Duilding Droducts |
| Category | Building Products |
| Product Type | Doors |
| Brand name | Construction Specialties, Inc. |
| Models | Acrovyn® Doors & Frames |
| Includes | Includes: Acrovyn® Door Systems (Non-Fire Rated, Fire Rated, STC, Bullet Resistant, Lead-Lined, Flush, Panel, Dutch), Acrovyn® Curved Doors, Acrovyn® Doors by Design, Acrovyn® Door Protection. |
| | *Acrovyn® Curved Doors exclude conformance to Private Office Scenario |
| TVOC Range* | 0.5 mg/m ³ or less |

Clean Air GOLD: Conforms to California Department of Public Health (CDPH) Standard Method v1.2: Private Office and School Classroom.

| Certificate | CA-10105-2024bX |
|-------------------------|---|
| Product Category | Building Products |
| Product Type | Wall Paneling & Surfacing Materials |
| Brand name | Construction Specialties, Inc. |
| Models | Acrovyn® Wall Covering, Acrovyn® Wall Protection, Acrovyn® by Design Wall Covering, Acrovyn® Dimensional Moldings |
| Includes | Acrovyn® Wall Covering Includes: Acrovyn® Solid Colors, Acrovyn® Woodgrains and Brushed Metals, Acrovyn® by Design Tapestry™ Collection, Acrovyn® by Design Metallics™ Collection, Acrovyn® by Design Pattern Collections and Custom Graphics Acrovyn®, Acrovyn® Trims and Aluminum Trims Wall Protection Includes: AcrAcrovyn® Handrail, Crashrail, Corner Guards; Real Wood/Stainless Handrail, Crashrail, Corner Guards; Platform Series of Handrails |
| Product Restrictions | None |
| TVOC Range* | Between 0.5 and 5.0 mg/m ³ |

Version: 29-April-2019 Page 3 of 9 SFT-CLEAN AIR-OP-19c



Clean Air GOLD: Conforms to California Department of Public Health (CDPH) Standard Method v1.2: Private Office and School Classroom.

| THIRD OTHER ATT | d 3chool class oom. |
|-----------------|--|
| Certificate | CA-10105-2024eX |
| Product | Building Products |
| Category | Building Products |
| Product Type | Wall Paneling & Surfacing Materials, Adhesives and Sealants |
| Brand name | Construction Specialties, Inc. |
| Models | Acrovyn® Wall Panels, Acrovyn Roll-On Adhesive, Real Wood Wall Panels, Styx |
| Product | Excludes Real Wood Wall Panels with Low Gloss Coating; Includes Real Wood Wall |
| Restrictions | Panels with Water-Based Finish Coat |
| TVOC Range* | Between 0.5 and 5.0 mg/m ³ |

Clean Air GOLD: Conforms to California Department of Public Health (CDPH) Standard Method v1.2: Private Office and School Classroom.

| Certificate | CA-10105-2024dX |
|-------------------------|---|
| Product Category | Building Products |
| Product Type | Flooring |
| Brand name | Construction Specialties, Inc. |
| Models | Entrance Flooring Systems: Pedimat® M1, Pedimat® AA M2, DesignStep™, Pedigrid® G1, Pedigrid® SA G8, Peditred® G4, Peditred® SA G7, Peditred® LP G3, GridLine® G6, GridLine® 2 G62, GridLine® 2 w/ Inserts, GridLine® 2 G6PR, Floormations®, Helix® Z1, Helix® Z2. |
| cucis | Insert Options: Monotuft HD™ Carpet, Exterior Brush Tread Carpet, Floormations® Carpet, Recycled Rubber, Rubber, Serrated Aluminum, Abrasive Tape, and Poured Abrasive - Discontinuing 12/31/24 |
| Product Restrictions | None |
| TVOC Range* | 0.5 mg/m³ or less |

Version: 29-April-2019 Page 4 of 9 SFT-CLEAN AIR-OP-19c



SECTION 3 Testing Results

| | Product | Product | | Test | | TVOC | |
|-------------|------------------------|---|-----------------------------------|-----------------|-------------------------|--------|-------------------|
| Date Tested | Type | Name | Product ID | Method | Result | Range* | Report Number |
| 9/13/2019 | Surfacing Materials | Acrovyn® Handrail | AW-10C | CDPH SM v1.2 | CDPH SM v1.2: SC, PO | < 0.1 | 103914025GRR-002a |
| 8/30/2019 | Wall Panel | Tapestry Wall Panel | Not Specified | CDPH SM v1.2 | CDPH SM v1.2: SC, PO | < 0.1 | 103914025GRR-002d |
| 10/24/2019 | Surfacing Materials | FSC-25N Corner Guard | FSC-25N | CDPH SM v1.2 | CDPH SM v1.2: SC, PO | < 0.1 | 103914025GRR-002b |
| 12/5/2019 | Wall Panel | Acrovyn 4000 Sheet & Saratoga Trim | Not Specified | CDPH SM v1.2 | CDPH SM v1.2: SC, PO | 0.2 | 103914025GRR-002c |
| 2/28/2020 | Door | AbD Acrovyn Door | Not Specified | CDPH SM v1.2 | CDPH SM v1.2: SC, PO | < 0.1 | 103914025GRR-002e |
| 3/13/2020 | Surfacing Materials | Chameleon End Caps | HRB4CN 24I988372H | ASTM D5116 | CDPH SM v1.2: SC, PO | < 0.1 | 103914025GRR-003 |
| 3/5/2021 | Wall Covering | Chameleon Sheet (Omnova) | Not Specified | CDPH SM v1.2 | CDPH SM v1.2: SC, PO | < 0.1 | 104612407GRR-002a |
| 3/5/2021 | Wall Panel | Wood Wall Panel with low gloss stain | Not Specified | CDPH SM v1.2 | FAIL- Formaldehyde | 1.1 | 104612407GRR-002b |
| 06/16/2021 | Wall Panel | Wood Wall Panel | Not Specified | ASTM D5116 | CDPH SM v1.2: SC, PO | 2.3 | 104700527GRR-002 |
| 06/02/2021 | Wall Covering | Chameleon Sheet (I2M) | Not Specified | CDPH SM v1.2 | CDPH SM v1.2: SC, PO, R | < 0.1 | 104700527GRR-003 |
| 05/13/2022 | Wood Wall Panel | Acrovyn 4000 Wall Panel (M1) | Not Specified | CDPH SM v1.2 | CDPH SM v1.2: SC, PO, R | 0.1 | 105040310GRR-002 |
| 06/15/2023 | Wall Covering | Acrovyn® Woodgrain Wallcovering with film from Wallquest. | Acrovyn 4000 with Wallquest | CDPH SM v1.2 | CDPH SM v1.2: SC, PO, R | 3.4 | 105434251GRR-002a |
| 06/09/2023 | Door Protection | ACO-8 with new alternative OA12 adhesive | 90M196001 | CDPH SM v1.2 | CDPH SM v1.2: SC, PO, R | < 0.1 | 105434251GRR-002b |


Version: 29-April-2019 Page 5 of 9 SFT-CLEAN AIR-OP-19c



| 07/27/2023 | Door | Acrovyn® Door- Dutch | Not Specified | CDPH SM v1.2 | CDPH SM v1.2: SC, PO, R | < 0.1 | 105434251GRR-002c |
|------------|-------------------------|------------------------------|-----------------------------|-----------------|-------------------------|-------|-------------------|
| 08/25/2023 | Door | Acrovyn® Door- Curved | Not Specified | CDPH SM v1.2 | CDPH SM v1.2: SC | < 0.1 | 105434251GRR-002d |
| 08/16/2024 | Flooring | Helix Z2 | Not Specified | CDPH SM v1.2 | CDPH SM v1.2: SC, PO | <0.1 | 105920634GRR-002b |
| 08/14/2024 | Flooring | Design Step Duration | Duration Wrought Iron | CDPH SM v1.2 | CDPH SM v1.2: SC, PO | 0.4 | 105920634GRR-002a |
| 02/13/2025 | Adhesives & Sealants | Acrovyn Roll- On Adhesive | Not Specified | CDPH SM v1.2 | CDPH SM v1.2: SC, PO | 1.2 | 106106055GRR-002 |

^{*}TVOC range is based on the most stringent modeling scenario (excludes Single Family Residence). All values are reported as mg m–3 (milligram per cubic meter) corresponding to the LEED v4 TVOC ranges.

Version: 29-April-2019 Page 6 of 9 SFT-CLEAN AIR-OP-19c





SECTION 4 Private Label

| MULTIPLE LISTEE 1 | |
|-----------------------|-------------------------------|
| Company Name: | Brand Name: |
| Address: | |
| Contact: | Email: |
| Phone Number: | Note: |
| Multiple Listee Model | Basic Listee Correlated Model |
| | |
| | |
| | |
| | |
| | |
| MULTIPLE LISTEE 2 | |
| Company Name: | Brand Name: |
| Address: | |
| Contact: | Email: |
| Phone Number: | Note: |
| Multiple Listee Model | Basic Listee Correlated Model |
| | |
| | |
| | |
| | |
| | |

Version: 29-April-2019 Page 7 of 9 SFT-CLEAN AIR-OP-19c



SECTION 5 Revision History

| Date | Project Number | Revision Description | Revised By | Reviewed By |
|------------|-------------------|--|------------|-------------------------|
| 10/01/2024 | | The client has requested certification for adding Hardware Items (e.g. Acrovyn® Trims and Aluminum Trims). Based on the existing material composition data, we concluded that additional testing was not required. In addition, per client's request we updated the format of client certificate D | Elle Henry | Faye Ricker Laye Pican |
| 03/13/2025 | 106106055 | Client requested the addition of Acrovyn Roll-On Adhesive and Styx. Based on worst-case test results, both products have been certified. Updating CA-10105-2024c to CA-10105-2024e. | Elle Henry | Faye Ricker Laye Picar |
| 09/10/2025 | 106298873 | To ensure uninterrupted certification status, we are providing an extension while client undergoes testing for recertification. | Elle Henry | Faye Ricker Laye Pinan |
| | | | | |
| | | | | |



SECTION 6 Conclusion

Signature:

| · | Representative samples of the products covered by this report have been evaluated and found to comply with the applicable requirements of the standards indicated above. | | | | |
|------------------------|--|-----------------------|--------------------------------|--|--|
| Please note, this Repo | ort does not represent authorization for | or the applicant or n | nanufacturer to apply Intertek | | |
| Certification Marks. | Certification Marks. | | | | |
| Completed by: | Elle Henry Reviewed by: Faye Ricker | | | | |
| Title: | Clean Air Program Manager Title: Certification Officer | | | | |
| |) | | | | |

Signature:

Version: 29-April-2019 Page 9 of 9 SFT-CLEAN AIR-OP-19c