

Acrovyn® Doors



Construction Specialties®

Compare Acrovyn® Doors

PRODUCT NAME	FLUSH DOORS	PANEL DOORS	CURVED DOORS	ACROVYN DOORS BY DESIGN™
Thickness	1 3/4" and 1 5/8"	1 3/4"	1 3/4"	1 3/4" and 1 5/8"
Fire Rating	Up to 90-Minute	Up to 60-Minute	Non-Rated Only	Up to 90-Minute
Replaceable Edge Covers	•	•	•	•
Replaceable Stiles	•	•	•	•
Available in Acrovyn by Design®	•		•	•
FSC Models	•			•
Pairs/Double Egress	•	•		•

BULLET RESISTANT DOORS	LEAD LINED DOORS	STC DOORS	BARRIER RESISTANT DOORS	DUTCH DOORS
1 3/4"	1 3/4"	1 3/4"	1 3/4"	1 3/4"
Non-Rated Only	Up to 60-Minute	Up to 90-Minute	Up to 20-Minute	Up to 20-Minute
•	•	•	•	•
			•	•
•	•	•	•	
	•			
•	•	Select Models		Select Models



Explore our
Acrovyn® Door
Mock-up Program.



Construction Specialties®

c-sgroup.com | 800.233.8493