ARCHITECTURAL LOUVERS PS.EWL.0325

Extreme Weather Louvers


Extreme Weather Louvers provide the industry's highest level of protection and certification to withstand large and small projectile impacts and high-velocity wind pressures. The product range at the pinnacle of extreme weather and air flow conditions are best used in coastal areas in hurricane-prone regions.

Advantages

- Designed, tested, and certified for coastal and extreme weather applications (i.e. hurricane and tornado)
- Superior protection for high velocity wind driven rain and impact resistance
- Pre-engineered with structural calculations available, including substrate and mounting conditions

Applications

- Regional susceptibility to tropical storm force winds, hurricanes, and tornadoes
- Customizable with metal panel and curtain wall applications



View 3D Model



Extreme Weather Louvers

Finish Options



Powder Coat



& Metallic



Patterns



Anodized



Custom Color

See all finish options online at c-sgroup.com.

Product Details

MODEL	LOUVER DEPTH	BLADE SPACING	BLADE ORIENTATION
DC-4174	4" (101.6mm)	3¼" (82.6mm)	- Horizontal
DCH-5704	5" (127.0mm)	2" (50.8mm)	
EW-5210	5" (127.0mm)	2" (50.8mm)	
RS-5215/ RS-5216	5%" (136.5mm)	21/8" (44.5mm)	
RS-5225/ RS-5226	5%" (136.5mm)	2½" (38.1mm)	
DC-6174	6" (152.4mm)	5¾" (146.1mm)	
DC-9614	9" (228.6mm)	4" (101.6mm)	
RS-9615	9" (228.6mm)	4" (101.6mm)	
RS-3700	3¼" (82.5mm)	7/8" (22.2mm)	Vertical
DCV-5704	5" (127.0mm)	2" (50.8mm)	
RS-5800	5" (127.0mm)	1½" (38.1mm)	
DC-5804	5" (127.0mm)	1½" (38.1mm)	
DCPL-3704	5%" (136.5mm)	7/8" (22.2mm)	


Certifications/Testing*


- AMCA Certified
- AMCA Listed
- Dade County Certified
- Florida Product Approved
- Texas Department of Insurance
- ICC 500, the testing to ASTM E330 and guidance of FEMA 361


Warranty

- 1-year Material Warranty
- 20-year Finish Warranty (excludes anodized)
- 10-year Finish Warranty Wood Grain

Models















DCPL-3704



Learn More



^{*}For model specific certifications, listing and testing - refer to the Performance Chart on our **Architectural Louvers Product Guide.**