




















Acrovyn® *Crash Rails*



















Compare Crash Rails

| |  |  |  |
|---|---|--|--|
| PRODUCT | RUBSTRIPS | SCR-R SERIES | |
| Model | Rubstrips | SCR-50 | SCR-80 |
| Detail | |   SCR-50 BCR-50 |   SCR-80 BCR-80 |
| Height | 4" - 24" | 5" | 8" |
| Wall Offset | | 1 1⁄16" - 1 1⁄2" (varies per model) | 1 3⁄8" - 1 13⁄16" (varies per model) |
| Material | Acrovyn Clear Polycarbonate Stainless Steel | Acrovyn | Acrovyn |
| Optional Vertical Reveal | | ● | ● |
| Models | 3 | 2 | 2 |
| Standard Length | 10' | 10' | 10' |
| Retainer | | Continuous and Clip Mount | Continuous and Clip Mount |
| Shock Absorbing Bumpers | | ● | ● |
| Environmental Product Declaration (EPD) | ● | ● | ● |
| In-Stock Availability | ● | ● | ● |

|  |  |  |
|---|---|---|
| SCR-F SERIES | | |
| SCR-40 | SCR-48 | SCR-64 |
|    SCR-40 BCR-40 ECR-40 |    SCR-48 BCR-48 ECR-48 |    SCR-64 BCR-64 ECR-64 |
| 4" | 6" | 8" |
| 3⁄4" - 2 7⁄8" (varies per model) | 1 1⁄4" - 3 7⁄16" (varies per model) | 1 1⁄4" - 3 7⁄16" (varies per model) |
| Acrovyn | Acrovyn | Acrovyn |
| | | |
| 3 | 4 | 4 |
| 10' | 10' | 10' |
| Continuous Mount | Continuous and Clip Mount | Continuous and Clip Mount |
| ● | ● | ● |
| ● | ● | ● |
| ● | ● | ● |






Compare
Crash Rails, continued

| | | | |
|---|---|---|---|
| |  |  |  |
| PRODUCT | BUMPER GUARDS | | |
| Model | BG Models | BL Models | FR Models |
| Detail |  BG-10  BG-30 |  100A  200A |  FR-125  FR-225  FR-270 |
| Height | BG10 - 4" BG30 - 2 3/4" | 4" | 1 1/8" - 2 1/4" (varies by model) |
| Wall Offset | BG10 - 2 7/16" BG30 - 1 5/8" | 100A - 2 3/8" 200A - up to 12" | 3/4" - 1 1/8" (varies by model) |
| Material | Acrovyn | Acrovyn | Acrovyn |
| Optional Vertical Reveal | | | |
| Models | 2 | 2 | 3 |
| Standard Length | 10' | 10' | 10' |
| Retainer | Continuous Mount | Continuous Mount | Continuous Mount |
| Environmental Product Declaration (EPD) | ● | ● | ● |
| In-Stock Availability | | | |

| | | |
|---|---|---|
|  |  |  |
| RUBBER BUMPER GUARDS | | |
| HB-60B | HB-75D/100D | HB-200 |
|  |  |  |
| 2 3/8" | 75D - 2 15/16" 100D - 3 15/16" | W30 - 7 11/16" W50 - 7 19/32" |
| 1 3/16" | 75D - 2 11/16" 100D - 3 17/32" | W30 - 1 3/16" W50 - 1 15/16" |
| Rubber | Rubber | Rubber |
| | | |
| 1 | 2 | 2 |
| 9' 10" | 9' 10" | 9' 10" |
| | | |
| ● | ● | ● |
| | | |

Compare

Crash Rails, continued

| | | | | | |
|---|---|---|---|---|--|
| |  |  |  |  |  |
| PRODUCT | STAINLESS SERIES | | | | |
| Model | ECR-20 | ECR-32 | ECR-60 | SCR-16 | Foot Rail |
| Detail |  |  |  |  |  ECR-6S ECR-6SF |
| Height | 2" | 4" | 6" | 5 1/2" | 4 3/8" |
| Wall Offset | 3 1/4" | 3 1/4" | 3 1/4" | 1 1/2" | 4 3/8" |
| Bracket Options | 1 | Steel - 3 Aluminum - 4 | 3 | | 1 |
| Material | Stainless Steel | Stainless Steel Aluminum | Stainless Steel Aluminum | Stainless Steel | Stainless Steel |
| Optional Vertical Reveal | | | | | |
| Models | 5 | 2 | 2 | 2 | 2 |
| Max Length | 9' 10" | 9' 10" | 9' 10" | 10' | 19' |
| Retainer | | | | Stainless Steel Clips | |
| Environmental Product Declaration (EPD) | ● | ● | ● | ● | ● |
| In-Stock Availability | | | | | |



Construction Specialties®

c-sgroup.com | 800.233.8493