

Intertek does hereby certify that an independent assessment has been conducted on behalf of

## CONSTRUCTION SPECIALTIES, INC.

Certificate Number: CA-10105-2024a Certification valid until: 14 September 2025

Applicant Address: 347 South Broad Street

Hughesville, PA 17737 USA

**Product Category:** Building Products

Product Details: See Appendix

Conformance Criteria: California Department of Public Health (CDPH) Standard Method v1.2: Private Office and School Classroom.

Issuing Office Name & Address: Intertek Testing Services NA, Inc.

4700 Broadmoor Ave SE, Suite 200

Kentwood, MI 49512 USA

Ph: +1-616-656-7401

Faye Ricker

Certification Officer

23 September 2024

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product, or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Certificate are relevant only to the sample tested/inspected. This Certificate by itself does not imply that the material, product, or service is or has ever been under an intertek certification program.



**Certificate Appendix** 

## CONSTRUCTION SPECIALTIES, INC.

Certificate Number: CA-10105-2024a

Product Category	Doors
Model Name(s)	Acrovyn® Doors & Frames
Product Restrictions	Includes: Acrovyn® Door Systems (Non-Fire Rated, Fire Rated, STC, Bullet Resistant, Lead-Lined, Flush, Panel, Dutch), Acrovyn® Curved Doors, Acrovyn® Doors by Design, Acrovyn® Door Protection.  Acrovyn® Curved Doors exclude conformance to the Private Office Scenario
TVOC Range*	0.5 mg/m <sup>3</sup> or less

<sup>\*</sup>TVOC range stated is based on the most stringent modeling scenario as listed in the Conformance Criteria on page 1.